

according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Conloc UV 690

Product group: Klebstoffe

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

UV curing adhesive

#### 1.3. Details of the supplier of the safety data sheet

Company name: EGO Dichtstoffwerke GmbH & Co.Betriebs KG

Street: Lilienthalstraße 7
Place: GB-82205 Gilching

Telephone: 08105-217-0 Telefax: 08105-217-33

e-mail: Forster-Hummel@ego.de P.Goldmann@ego.de

Contact person: Eva Forster-Hummel; Telephone: - 28; -27

Petra Goldmann

Internet: http://www.ego.de

Responsible Department: Labor

1.4. Emergency telephone<br/>number:(+49)55119240 (24h/7d)GIZ-Nord, Göttingen

Member of EPECs network

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2A Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

May cause respiratory irritation.
Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

## 2.2. Label elements

# Regulation (EC) No. 1272/2008

### Hazard components for labelling

Isobornylacrylat

2-hydroxyethyl methacrylate

3-Trimethoxysilylpropylmethacrylate acrylic acid, prop-2-enoic acid

Signal word: Warning

Pictograms:





according to Regulation (EC) No 1907/2006

Con	UU	$\mathbf{u}$	030

Print date: 30.03.2016 Product code: 7406906\_0 Page 2 of 10

#### **Hazard statements**

H335	May cause respiratory irritation.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.

### **Precautionary statements**

P261	Avoid breathing	dust/fume/gas/mist/vapours/spray.
1 201		dustrianic/qus/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulation.

#### 2.3. Other hazards

Do not expose skin and above all eyes to direct or reflected UV light during curing.

Should not be released into the environment.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

UV curing adhesive

Revision date: 30.03.2016



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 3 of 10

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regular	tion (EC) No. 1272/2008 [CLF	P]		
5888-33-5	Isobornylacrylat			< 50 %	
	227-561-6				
	Skin Irrit. 2, Eye Irrit. 2, STOT SE	3, Aquatic Chronic 2; H315 H	319 H335 H411		
868-77-9	2-hydroxyethyl methacrylate			< 25 %	
	212-782-2	607-124-00-X			
	Eye Irrit. 2, Skin Irrit. 2, Skin Sens.				
7328-17-8	2-(2-ethoxyethoxy)ethylacrylate	<5 %			
	230-811-7				
2530-85-0	3-Trimethoxysilylpropylmethacryla	<5 %			
	219-785-8				
	Skin Irrit. 2, Eye Irrit. 2A, STOT SE				
79-10-7	acrylic acid, prop-2-enoic acid	< 5 %			
	201-177-9	607-061-00-8			
	Flam. Liq. 3, Acute Tox. 4, Acute T H332 H312 H302 H314 H400				

Full text of H and EUH statements: see section 16.

### **Further Information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

If you feel unwell, seek medical advice (show the label where possible).

## After inhalation

Move to fresh air in case of accidental inhalation of vapours. Consult physician if problems persist. If unconscious place in recovery position and seek medical advice.

## After contact with skin

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After indestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

Treat symptomatically.

### **SECTION 5: Firefighting measures**



according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 4 of 10

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Dry powder, Foam, Carbon dioxide (CO2).

Extinguishing materials should be selected according to the surrounding area.

### Unsuitable extinguishing media

High volume water jet

### 5.2. Special hazards arising from the substance or mixture

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breath vapour. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and material for containment and cleaning up

Prevent spreading over a wide area (e.g. by containment or oil barriers).

Substantial quantities: Soak up with inert absorbent material.

Small amounts: Wipe up with absorbent material (e.g. cloth, fleece).

Provide adequate ventilation.

## 6.4. Reference to other sections

See also section 7, 8, 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin and eyes. Provide sufficient air exchange and/or exhaust in work rooms. Keep away from direct sunlight.

## Advice on protection against fire and explosion

No special precautions required.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep tightly closed in a dry and cool place. Protect against light. Never return unused material to storage receptacle.

## Advice on storage compatibility

No special precautions required.

### 7.3. Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 5 of 10

#### Additional advice on limit values

Derivation of DNEL(s): This information is not available. Derivation of the PNEC: This information is not available.

#### 8.2. Exposure controls

#### Appropriate engineering controls

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Do not expose skin and above all eyes to direct or reflected UV light during curing.

#### Protective and hygiene measures

When using, do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. Wash hands when done working with material; at breaks, lunch, shift changes, etc. Take off immediately all contaminated clothing Do not breath vapour.

#### Eye/face protection

Safety glasses with side-shields.

#### Hand protection

Protective gloves: Glove material Nitrile rubber (0,35 mm), butyl-rubber (0,5 mm) Break through time >= 8h. As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in advance and has to be tested before use.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

#### Skin protection

Long sleeved clothing

## **Respiratory protection**

Ensure adequate ventilation, especially in confined areas.

Maintain air concentrations below occupational exposure standards.

In case of insufficient ventilation wear suitable respiratory equipment.

### **Environmental exposure controls**

Do not allow material to contaminate ground water system.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: clear, colourless
Odour: characteristic

**Test method** 

pH-Value: not applicable

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

no data available

no data available

101 °C

**Flammability** 

Solid: no data available
Gas: no data available

Revision date: 30.03.2016



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 6 of 10

#### **Explosive properties**

The product is: not Explosive.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

no data available

**Auto-ignition temperature** 

Solid: no data available
Decomposition temperature: no data available
Vapour pressure: no data available
Density (at 23 °C): approx. 1,1 g/cm³
Water solubility: insoluble
Viscosity / dynamic: approx. 2500 mPa·s

(at 23 °C)

Solvent content: 0 %

#### 9.2. Other information

The product is: not auto-flammable

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reaction known under conditions of normal use.

## 10.2. Chemical stability

Stable under normal conditions.

No decomposition if used as directed.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4. Conditions to avoid

Heat, flames and sparks.

Exposure to light.

#### 10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

#### 10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as:

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity



according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 7 of 10

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
5888-33-5	Isobornylacrylat					
	oral	LD50	4350 mg/kg	rat		
	dermal	LD50	> 3000 mg/kg	rabbit		
868-77-9	2-hydroxyethyl methacrylate					
	oral	LD50	5050 mg/kg	Rat		
2530-85-0	3-Trimethoxysilylpropylmethacrylate					
	oral	LD50	>5000 mg/kg	rat		
79-10-7	acrylic acid, prop-2-enoic acid					
	oral	LD50	> 192 mg/kg	Rat		
	dermal	LD50	> 290 mg/kg	Rabbit		
	inhalative (4 h) vapour	LC50	3,6 mg/l	Rat		
	inhalative aerosol	ATE	1,5 mg/l			

#### Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

#### Sensitising effects

May cause sensitisation by skin contact.

#### STOT-single exposure

Inhalation of vapours in high concentration may cause irritation of respiratory system.

## Severe effects after repeated or prolonged exposure

This information is not available.

#### Carcinogenic/mutagenic/toxic effects for reproduction

This information is not available.

#### **Aspiration hazard**

This information is not available.

## **Practical experience**

### Observations relevant to classification

This information is not available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Discharge into the environment must be avoided.

Testing regarding acute or chronic aquatic effects shows that no eco-labelling is required.



according to Regulation (EC) No 1907/2006

#### Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
5888-33-5	Isobornylacrylat					
	Acute fish toxicity	LC50	1,8 mg/l	96 h	Danio rerio (zebra fish)	
	Acute algae toxicity	ErC50	2,7 mg/l	96 h	Pseudokirchneriella subcapitata (green algae)	
	Acute crustacea toxicity	EC50	1,1 mg/l		Daphnia magna (Water flea)	
868-77-9	2-hydroxyethyl methacrylate					
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas	
2530-85-0	3-Trimethoxysilylpropylmethacrylate					
	Acute fish toxicity	LC50	1024 mg/l	96 h	LC50/96h/Brachydanio rerio	
	Acute algae toxicity	ErC50	536 mg/l	72 h	Scenedesmus quadricauda (Green algae)	
	Acute crustacea toxicity	EC50	>876 mg/l	48 h	Daphnia magna (Water flea)	
79-10-7	acrylic acid, prop-2-enoic acid					
	Acute fish toxicity	LC50	27 mg/l	96 h	Onchorhynchus mykiss	
	Acute crustacea toxicity	EC50	95 mg/l	48 h	Daphnia magna	

#### 12.2. Persistence and degradability

no data available

# 12.3. Bioaccumulative potential

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
868-77-9	2-hydroxyethyl methacrylate	0,47
79-10-7	acrylic acid, prop-2-enoic acid	0,35

## 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

#### 12.6. Other adverse effects

no data available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Advice on disposal

Dispose of as special waste in compliance with local and national regulations.

### Contaminated packaging

Dispose of waste according to applicable local, state, and federal regulations.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

	Conloc UV 690	
Print date: 30.03.2016	Product code: 7406906_0	Page 9 of 10

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant: no

Air transport (ICAO)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulatory information

Water contaminating class (D): 2 - water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,6,7,8,9,10,11,12,14,15.

### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.H411 Toxic to aquatic life with long lasting effects.

### **Further Information**

These data describe only the safety requirements for the product(s) and are based on our present knowledge. However, they do not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Revision date: 30.03.2016



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Conloc UV 690

Print date: 30.03.2016 Product code: 7406906\_0 Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)